

10/545964

IC20 Rec'd PCT/PTO 17 AUG 2005

CLAIMS

1. Reinforced polyamide composition stabilized against weather influences which contains:
 - 5 (a) 40 to 95 parts by weight of polyamide at least 50 wt% of which is semicrystalline polyamide;
 - (b) 5 to 60 parts by weight of reinforcing material;
 - (c) 0,05 to 4 parts by weight of at least of one organic UV stabiliser from the class of hindered amines; and
 - 10 (d) 0.1 to 5 parts by weight of carbon black with an average primary particle size of at least 30 nm.
2. Polyamide composition according to claim 1, which contains also 0.05 to 4 parts by weight of of an organic UV absorber.
3. Polyamide composition according to claim 1 or 2, which contains also 0.05 to 15 5 parts by weight of an inorganic UV absorber or UV screener.
4. Polyamide composition according to any one of claims 1-3, in which the semicrystalline polyamide is PA6, PA66, PA46 or a mixture thereof.